Maryland Historical Trust

Maryland Inventory of Historic Properties number: VM: 18	
Name: MD117 CHER FUCKLODGE +	SEANCH/15019
The bridge referenced herein was inventoried by the Maryland State F Historic Bridge Inventory, and SHA provided the Trust with eligibility. The Trust accepted the Historic Bridge Inventory on April 3, 2001. The determination of eligibility.	Highway Administration as part of the v determinations in February 2001.
MARYLAND HISTORICAL TR Eligibility RecommendedX Eligi	UST bility Not Recommended
Criteria:ABCD Considerations:AB	CDEFGNone
Comments:	
Reviewer, OPS:_Anne E. Bruder	D
	Date:3 April 2001

MARYLAND INVENTORY OF HISTORIC BRIDGES HISTORIC BRIDGE INVENTORY MARYLAND STATE HIGHWAY ADMINISTRATION/ MARYLAND HISTORICAL TRUST

MHT No. <u>M:18-46</u>

SHA Bridge No. 15018 Bridge name MD 117 over Bucklodge Branch
LOCATION: Street/Road name and number [facility carried] MD 117 (Bucklodge Road)
City/town Bucklodge Vicinity X
County Montgomery
This bridge projects over: Road Railway Water X Land
Ownership: State X County Municipal Other
HISTORIC STATUS: Is the bridge located within a designated historic district? Yes No X National Register-listed district National Register-determined-eligible district Locally-designated district Other
Name of district
BRIDGE TYPE: Timber Bridge: Beam Bridge: Truss -Covered Trestle Timber-And-Concrete
Stone Arch Bridge
Metal Truss Bridge
Movable Bridge: Swing Bascule Single Leaf Bascule Multiple Leaf Vertical Lift Retractile Pontoon
Metal Girder : Rolled Girder Concrete Encased Plate Girder Concrete Encased Plate Girder Concrete Encased : Plate Girder Concrete
Metal Suspension
Metal Arch
Metal Cantilever
Concrete X : Concrete Arch Concrete Slab X Concrete Beam Rigid Frame Other Type Name

DESCRIPTION: Setting: Urban Småll town Rural X Describe Setting: Bridge No. 15018 carries MD 117 (Bucklodge Road) over Bucklodge Branch in Montgomery County. MD 117 runs east-west, while Bucklodge Branch flows from the north to the south. The bridge is located in a rural section of Montgomery County and is surrounded by farmland.
Describe Superstructure and Substructure: Bridge No. 15018 over Bucklodge Branch in Montgomery County is a two span concrete slab bridge built in 1932. Both clear span lengths are 14 feet with a clear roadway width of 27 feet. The bridge is currently not posted. No field investigation or recent plans have been executed for this structure by the State Highway Administration, therefore information regarding repairs or condition is not available.
The superstructure, consisting of the roadway, slab and parapets, is in good condition. The open concrete parapets have end blocks, an articulated coping and a pierced railing design with a 7 open space to 1 expansion joint ratio. W-beam guardrails were added to the roadway at an unknown date and attach to the parapets at the end blocks. The substructure is in fair condition. All substructure components feature molded chamfering; the wingwalls are flared. The pier nose at the north end is severely spalled and scoured. The south embankment is eroding into the stream channel. An authorization to proceed was issued in February of 1994 for the placement of rip rap scour protection on the eroded bank. As of February 1995 no work has been completed.
Discuss Major Alterations: W-beam guardrails were added to the roadway at an unknown date. They attach to the bridge at the parapet end blocks.
HISTORY:
WHEN was the bridge built: 1932 This date is: Actual X Estimated
This date is: Actual X Estimated Source of date: Plaque Design plans County bridge files/inspection form X Other (specify)
WHY was the bridge built? By 1930, Maryland's primary and secondary roads and bridges had become inadequate to the huge freight trucks and volume of passenger cars in use.
WHO was the designer? Unknown
WHO was the builder? Unknown
WHY was the bridge altered? To extend the life of the bridge
Was this bridge built as part of an organized bridge-building campaign? Yes, post World War I improvements to primary and secondary roads.

SURVEYOR/HISTORIAN ANALYSIS:

This bridge may have Nation	al Register significan	ce for its association with:
A - Events	B- Person	
C- Engineering/archit	ectural character	

Was the bridge constructed in response to significant events in Maryland or local history?

Reinforced concrete slab bridges are a twentieth century structure type, easily adapted to the need for expedient engineering solutions. Reinforced concrete technology developed rapidly in the early twentieth century with early recognition of the potential for standardized design. The first U.S. attempt to standardize concrete design specifications came in 1903-1904 with the formation of the Joint Committee on Concrete and Reinforced Concrete of the American Society of Civil Engineers.

Maryland's roads and bridge improvement programs mirrored economic cycles. The first road improvement of the State Roads Commission was a 7 year program, starting with the Commissions establishment in 1908 and ending in 1915. Due to World War I, the period from 1916-1920 was one of relative inactivity; only roads of first priority were built. Truck traffic resulting from war related factories and military installations generated new, heavy traffic unanticipated by the builders of the early road system. From 1920-1929, numerous highway improvements occurred in response to the increase in Maryland motor vehicles from 103,000 in 1920 to 320,000 in 1929, with emphasis on the secondary system of feeder roads which moved traffic from the primary roads built before World War I. After World War I, Maryland's bridge system also was appraised as too narrow and structurally inadequate for the increasing traffic, with plans for an expanded bridge program to be handled by the Bridge Division, set up in 1920. In 1920 under Chapter 508 of the Acts of 1920 the State issued a bond of \$3,000,000.00 for road construction; the primary purpose of these monies was to meet the state obligations involving the construction of rural post roads. The secondary purpose of these monies was to fund (with an equal sum from the counties) the building of lateral roads. the number of hard surfaced roads on the state system grew from 2000 in 1920 to 3200 in 1930. By 1930, Maryland's primary system had been inadequate to the huge freight trucks and volume of passenger cars in use, with major improvements occurring in the late 1930's. Most improvements to local roads waited until the years after World War II.

With a diverse topographical domain encompassing numerous small and large crossings, Maryland engineers quickly recognized the need for expedient design and construction.

In the early years, there was a need to replace the numerous single lane timber bridges. Walter Wilson Crosby, Chief Engineer stated in 1906, "The general plan has been to replace these [wood bridges] with pipe culverts or concrete bridges and thus forever do way with the further expense of the maintenance of expensive and dangerous wooden structures". Within a few years, readily constructed standardized bridges of concrete were being built throughout the state.

The creation of standard plans and a description of their use was first announced in the 1912-15 Reports of the State Roads Commission whereby bridges spanning up to 36 feet were to use standardized designs.

Published on a single sheet, the 1912 Standard Plans included those structures that were amenable to such an approach: slab spans, (deck) girder spans, box culverts, box bridges, abutments, and piers (State Roads Commission 1912). Slab spans, with lengths of 6 to 16 feet in two foot increments, featured a solid parapet that was integrated into the slab, with a roadway of 22 feet.

In the Report for the years 1916-1919, a revision of the standard plans was noted:

During the four years covered by this report, it has been found necessary to revise our standard plans for culverts and bridges, to take care of the increased tonnage which they have been forced to carry. Army cantonments...increased their operations several hundred per cent, and the brunt of the enormous truck traffic resulting therefrom, was borne by the State Roads of Maryland. In addition to these war activities, freight motor lines from Baltimore to Washington, Philadelphia, New York, and various points throughout Maryland, and the weight of many of these trucks when loaded, was in excess of the loads for which our early bridges were designed (State Roads Commission 1920:56).

Published on separate sheets, the new standard plans (State Roads Commission 1919) for slab bridges reveal that the major changes was an increase in roadway width from 22 feet to 24 feet and a redesign of the reinforcement. The slab spans continued to feature solid parapets integrated into the span. The range of span lengths remained 6 to 16 feet, but the next year (1920) witnessed the issue of a supplemental plan for a 20 foot long slab span (State Roads Commission 1920).

In 1930, the roadway width for all standard plan bridges was increased to 27 feet in order to accommodate the increasing demands of automobile and truck traffic (State Roads Commission 1930). The range of span lengths remained the same, but there were some changes designed to increase the load bearing capacities. The reinforcing bars increased in thickness. Visually, the 1930 design can be distinguished from its predecessors by the pierced concrete railing that was introduced at this time.

When the bridge was built and/or given a major alteration, did it have a significant impact on the growth and development of the area?

Although built during the post World War I construction phase, this bridge did not greatly effect the area surrounding it. The structure did not increase settlement or industry.

Is the bridge located in an area which may be eligible for historic designation and would the bridge add to or detract from the historic/visual character of the potential district?

No, this bridge is not located in an area which is eligible for historic designation.

Is the bridge a significant example of its type?

No, this structure is not a significant example of its type.


Does the bridge retain integrity of important elements described in Context Addendum? No, this structure does not retains its integrity because of its deteriorated state.

Is the bridge a significant example of the work of a manufacturer, designer, and/or engineer? No, this bridge is not a significant example of the work of the manufacturer.

Should the bridge be given further study before an evaluation of its significance is made? No, this structure should not be given further study. Although it reflects the state's post war construction needs of an expanded secondary roads system, its current condition has placed its integrity in doubt.

M:18-46


BIBLIOGRAPHY:	
County inspection/bridge filesOther (list):	SHA inspection/bridge files X
SURVEYOR:	
Date bridge recorded8/95	
Name of surveyor Leo Hirrell	
Organization/Address P.A.C. Spero & Co	., 40 W. Chesapeake Avenue, Suite 412, Baltimore, MD
21204	
Phone number (410) 206-1635	FAY number(110) 206.1670





Inventory	#	Ms	18-	46

Name 5018-MOIT OVER BUCKLOOGE BRANCH
County/State Montcomery /mp
Name of Photographer FRANK JULIANO
Date 295
Location of Negative SHA
Description Approach South
Number A of 364



Inventory # <u>M: 18-46</u>

Name 19018 - MD 117 OVER BUCKLOOKE BRANCE County/State Montgomery Imo
Name of Photographer FRANK JULIANO
Date 2 95
Location of Negative SHA
Description ELEVATION WEST
Number 306 36



Inventory # <u>M:18-4</u>6

Name 15018 - MO 117 OVER BUCKLODGE BRANCH County/State MONTGOMERY IMP Name of Photographer FRANK JULIANO
Date 2 95
Date
Location of Negative SHR
Description Approach NORTH
Number 3 of 25



Inventory # <u>M:18-46</u>

Name 15018-MO 117 OVER BUCKLODGE BRANCH
County/State MONTGOMERY MO
Name of Photographer _ FRANK JUKIB DID
Date _ 2 95
Location of Negative _SHR
Description ELEVATION EAST
Number 22 of 36

INDIVIDUAL PROPERTY/DISTRICT MARYLAND HISTORICAL TRUST INTERNAL NR-ELIGIBILITY REVIEW FORM

Property/District Name: MD 117: Bridge No. 15018 over Bucklodge Branch Survey Number: M: 18 - 46
Project: <u>2380215-B01800</u> Agency: <u>SHA</u>
Site visit by MHT Staff: XX no yes Name Date
Eligibility recommended X Eligibility not recommended
Criteria:AB _XXCD Considerations:ABCDEFGNone
Justification for decision: (Use continuation sheet if necessary and attach map)
Bridge NO. 15018 over Bucklodge Branch, Montgomery County, MD is a two-span concrete slab structure built in 1932, and has been determined eligible for the National Register of Historic Places by the Interagency Historic Bridge Committee. The bridge is a reinforced concrete structure with a pigeon-hole parapet, a pier, wingwalls and abutments, and appears to be in excellent condition based on the photographs and visit by SHA Architectural Historian Jill Dowling. Based on the information provided, the Office of Preservation Services concurs with the eligiblity determination based on Criterion C for the National Register. The bridge does not appear to qualify for inclusion in the National Register under criteria A, B or D.
Documentation on the property/district is presented in: Project Review & Compliance Files
Prepared by: SHA Jill Dowling
Anne E. Bruder February 13, 1998
Reviewer, Office of Preservation Services Date
NR program concurrence: Ne yes no not applicable Reviewer, NR program Date


grad

MARYLAND COMPREHENSIVE HISTORIC PRESERVATION PLAN DATA - HISTORIC CONTEXT


Eastern Shore Western Shore X Piedmont Western Maryland	(all Eastern Shore counties, and Cecil) (Anne Arundel, Calvert, Charles, Prince George's and St. Mary's) (Baltimore City, Baltimore, Carroll,
X Piedmont	
	(Baltimore City, Baltimore, Carroll,
Western Maryland	
Western Maryland	Frederick, Harford, Howard, Montgomery)
	(Allegany, Garrett and Washington)
Chronological/Developme	ental Periods:
Paleo-Indian	10000-7500 B.C.
Early Archaic	7500-6000 B.C.
Middle Archaic	6000-4000 B.C.
Late Archaic	4000-2000 B.C.
Early Woodland	2000-500 B.C.
Middle Woodland	500 B.C A.D. 900
Late Woodland/Archaic	A.D. 900-1600
Contact and Settlement	A.D. 1570-1750
Rural Agrarian Intensification	on A.D. 1680-1815
Agricultural-Industrial Trans	sition A.D. 1815-1870
X Industrial/Urban Dominance	e A.D. 1870-1930
Modern Period	A.D. 1930-Present
Unknown Period (preh	istoric historic)
Prehistoric Period Theme	es: IV. Historic Period Themes:
Subsistence	Agriculture
Settlement	X Architecture, Landscape Architecture,
	and Community Planning
Political	Economic (Commercial and Industrial)
Demographic	Government/Law
Religion	Military
Technology	Religion
Environmental Adaptation	Social/Educational/Cultural
	X Transportation
Resource Type:	
Category: <u>Structure</u>	
~ . 	Rural
· · · · · · · · · · · · · · · · · · ·	se(s): Transportation stream crossing



BRIDGE NO 1501800 MD 117 OVER BUCKLODGE BRANCH



•WEST ELEVATION



-1

•EAST ELEVATION